



• Brand Fusion buffet	104-111
• Refrigerated Brand Fusion buffet	106-107
– Refrigerated top plate buffets	106
– Refrigerated well buffets	106
– Refrigerated blown-air displays with well	107
• Hot Brand Fusion buffet	
– Dry bain-marie buffets	108
– Glass ceramic top plate	108
• Neutral Brand Fusion buffet	
– Neutral buffets	109
– 600 mm height neutral buffets	109
– 850 mm height neutral buffets	109
– Cash register buffets	109
• Accessories	
– Cutlery dispensers	110
– Foodshields with light	111
– Foodshields with light and heat	111
– Bases for electrical connections	111



Brand Fusion

BRAND FUSION BUFFET

If your company considers lunch a crucial component of employee compensation and quality of life, which not only boosts productivity and morale, but it can also be an opportunity to promote your brand identity, then Edesa Brand Fusion is the perfect solution for your corporate canteen. Edesa Brand Fusion buffet range has been designed to turn old, dull corporate cafeterias and canteens into a tasty and innovative meal time experience: it has the most reliable technology, first-class looks and, most importantly, a towering degree of flexibility.



Our Brand Fusion buffet could meet the needs of “free flows”, buffet-style systems, self-service lines, food & salad bars and show cookings. Its modules can be combined in multiple ways, separately or joined in a straight line, in a diagonal or creating any other layout you can think of. With its infinite color options, many accessories and branding elements, food service professionals can get always new answers for their corporate serving systems, both in the operational and functional fields. Keep your corporate machine running with the help of our innovative lubricant, the all-in-one buffet equipment provided by Edesa Brand Fusion.

KEY DESIGN FEATURES: FLEXIBILITY, AESTHETICS AND ERGONOMICS

Side panels are made of MDF plywood of 16 mm, outer finish is textured paint. On top of side panels there are three (3) opening holes to attach accessories to them: show cooking divider, electrical outlets, etc. These opening holes are delivered with stainless steel trimming plugs

Decorative front panels are made of MDF plywood (Medium-Density Fiber) of 19 mm with high pressure laminated plating or textured paint. They can be detachable. The inner front panels all have a stainless steel screen that provides access to the inside of the unit.

Heated and refrigerated buffets are delivered with foodshields, including integrated fluorescent lamps (light) in refrigerated buffets and halogen lamps (light and heat) in heated elements. In neutral buffets, foodshields must be ordered separately



REFRIGERATED BUFFET



EB-PF-2-I
Refrigerated top plate buffet



EB-CF-1-P
Refrigerated well buffet



EB-VF-1-I
Refrigerated display with well buffet

HOT BUFFET



EB-CC-2-P
Dry bain-marie buffet



FINISH AND COLOR CODING

Materials and colors can be selected by using the codes of the following table.

FRONT AND SIDE PANELS COLOR

Buffet	Word	Color	F	L
Front panel	*F	Aluminum	0	
		Black	1	
		Light Brown	2	
		Dark Brown	3	
		Orange	4	
Side panel	*L	Pistachio	5	
		Black		1
		Light brown		2
		Dark brown		3

STANDARD COLORS AVAILABLE

		
Aluminum	Black	Dark brown
		
Light Brown	Orange	Pistachio

(*) Model codes have the two last digits to name the front panel color (F) and side panels color (L).

WORKTOP MATERIAL

Buffet	Material	T
Work surface	Stainless steel AISI-304	0
	PHNP - Homogeneous polymeric material	1



Stainless steel (0)



PHNP (1)



EB-PV-1-P
Glass ceramic top plate buffet


NEUTRAL BUFFET



EB-NB-2-I
Neutral buffet
600 mm height



EB-NA-1-P
Neutral buffet
850 mm height



EB-MC-I
Cash register counter



Brand Fusion buffet Refrigerated buffets



EB-PF-2-I
Refrigerated top plate buffet.
Front in aluminum color, sides
in black color.

STANDARD COLORS AVAILABLE

Front panel



Side panels



REFRIGERATED TOP PLATE BUFFETS

- Refrigerated top plate buffet with dimensions for four (4) GN1/1 pans.
- Made of stainless steel with glossy, polished finish. Easy to clean.
- Refrigeration by expanded copper coil in the base of the plate.
- Digital temperature display.
- Built-in refrigerating unit.
- Power supply: 230 V -1+N.
- Available in two versions: wall-mounted (one side customer access) and island-type (two side customer access).
- Protective foodshield with integrated fluorescent lamp. One-side access buffets are delivered with EB-A-LF1 foodshield model and two-side access buffets are delivered with EB-A-LF2 foodshield model.



EB-PF-1-P+EB-A-RP
Side shelf support assembled to the
side of buffet as an option. To be
ordered separately.

Model	Reference	Buffet Type			Power (W)	Dimensions (mm)
		Finished	Access	Element		
EB-PF-1-I	24004000FL	INOX	1 Side access	Refrigerated top plate	250 + 36	1920 x 1110 x 920
EB-PF-1-P	24004001FL	PHNP	1 Side access	Refrigerated top plate	250 + 36	1920 x 1110 x 920
EB-PF-2-I	24004010FL	INOX	2 Sides access	Refrigerated top plate	250 + 36	1920 x 1330 x 920
EB-PF-2-P	24004011FL	PHNP	2 Sides access	Refrigerated top plate	250 + 36	1920 x 1330 x 920

(*) Model codes have the two last digits to name the front panel color (F) and side panels color (L). See table with color and finish options at the beginning.




EB-CF-2-P
Refrigerated well buffet
Pistachio front color and black sides

STANDARD COLORS AVAILABLE

Front panel



Side panels



REFRIGERATED WELL BUFFETS

- Refrigerated well buffet, specially designed to accommodate four (4) GN 1/1 with a maximum of 150 mm depth.
- Made in stainless steel with glossy, polished finish. Easy to clean.
- Refrigeration by expanded copper coil in the well.
- Digital temperature display.
- Built-in refrigerating unit.
- Power supply: 230 V -1+N.
- Wall-mounted (one side customer access) and island-type (two side customer access) as available options.
- Protective foodshield with integrated fluorescent lamp. One-side access buffets are delivered with EB-A-LF1 foodshield model and two-side access buffets are delivered with EB-A-LF2 foodshield model.



Protective foodshield included
Integrated fluorescent lamp that
illuminates and enhances the product
presentation area.

Model	Reference	Buffet Type			Power (W)	Dimensions (mm)
		Finished	Access	Element		
EB-CF-1-I	24003000FL	INOX	1 Side access	Refrigerated well	250 + 36	1920 x 1110 x 920
EB-CF-1-P	24003001FL	PHNP	1 Side access	Refrigerated well	250 + 36	1920 x 1110 x 920
EB-CF-2-I	24003010FL	INOX	2 Sides access	Refrigerated well	250 + 36	1920 x 1330 x 920
EB-CF-2-P	24003011FL	PHNP	2 Sides access	Refrigerated well	250 + 36	1920 x 1330 x 920

(*) Model codes have the two last digits to name the front panel color (F) and side panels color (L). See table with color and finish options at the beginning.




REFRIGERATED BLOWN-AIR DISPLAYS WITH WELL

- Refrigerated blown-air display with well.
- Made in stainless steel with glossy, polished finish. Easy to clean.
- Open front. Ideal for customers helping themselves.
- Protective tempered curved glass in front top.
- 8 mm thick, tempered glass at both sides.
- Hinged double glazed with back doors inside air chamber. Airflow channel made of transparent perforated polycarbonate. Hinged doors providing easy access for staff to product.
- Integrated fluorescent lamps.
- Insulated refrigerated well, specially designed to acomodate four (4) GN1/1 pans, up to a maximum 200 mm depth.
- Height-adjustable base in well.
- Evaporator protection cover can be disassembled for easy cleaning.
- Digital temperature display.
- Built-in refrigerating unit.
- Power supply: 230 V -1+N.
- Note: Refrigerated display well is 100 mm wider than the rest of wells and glass ceramic top plate.



EB-VF-1-I
Refrigerated blown-air display with well.
Front in orange color and sides in light brown color.



A constant flow of chilled air is generated by the well fans. This airflow is channeled through a double glazed system at the back to create a uniform curtain of continuously renewed, fresh air that encircles the food, ensuring its conservation and preventing it from drying. Comply with most stringent safety standards.



8 mm thick tempered glass at both sides



Height-adjustable well
Specially designed for displaying, storing and servicing cold food and drinks

STANDARD COLORS AVAILABLE

Front panel



Side panels



Model	Reference	Buffet Type			Power (W)	Dimensions (mm)
		Finished	Access	Element		
EB-VF-1-I	24005000FL	INOX	1 Side access	Refrigerated well	1300 + 36	1920 x 1110 x 920
EB-VF-1-P	24005001FL	PHNP	1 Side access	Refrigerated well	1300 + 36	1920 x 1110 x 920

(*) Model codes have the two last digits to name the front panel color (F) and side panels color (L). See table with color and finish options at the beginning.

REFRIGERATED DISPLAY WITH WELL – YOUR BEST FOOD DISPLAY.

Shelving is suitable for keeping all kinds of food: packaged meals, salads, sandwiches, cakes, etc. Dropped well for holding drinks or bottles. Ideal for customers helping themselves.





Brand Fusion buffet Hot buffets



EB-CC-2-P
Dry bain marie hot buffet
Front in pistachio color and sides in black
Protective foodshield included

STANDARD COLORS AVAILABLE

Front panel



Side panels



DRY BAIN-MARIE BUFFET

- Dry bain-marie wells, specially designed to accommodate four (4) GN1/1 pans up to a maximum 150 mm depth.
- Made in stainless steel with glossy, polished finish. Easy to clean.
- Heating system by resistor modules located on the bottom of the well, protected with stainless perforated grid.
- Digital temperature display.
- Power supply: 230 V -1+N.
- Wall-mounted (one side customer access) and island-type (two side customer access) as available options.
- Protective foodshield with integrated fluorescent lamp. One-side access buffets are delivered with EB-A-LC1 foodshield model and two-side access buffets are delivered with EB-A-LC2 foodshield model.
- Side shelf support assembled to the side of buffet as an option. To be ordered separately.



Integrated halogen lamp that illuminates and generates heat over the entire presentation area.



Example of foodshield unit for one side access buffet. Halogen light and heat protected displays for installation wall or central.

Model	Reference	Buffet Type			Power (W)	Dimensions (mm)
		Finished	Access	Element		
EB-CC-1-I	24001000FL	INOX	1 Side access	Dry bain-marie	2400 + 900	1920 x 1110 x 920
EB-CC-1-P	24001001FL	PHNP	1 Side access	Dry bain-marie	2400 + 900	1920 x 1110 x 920
EB-CC-2-I	24001010FL	INOX	2 Sides access	Dry bain-marie	2400 + 900	1920 x 1330 x 920
EB-CC-2-P	24001011FL	PHNP	2 Sides access	Dry bain-marie	2400 + 900	1920 x 1330 x 920



EB-PV-1-P
Ceramic glass top plate buffet
Front in black and sides in light brown color

STANDARD COLORS AVAILABLE

Front panel



Side panels



GLASS CERAMIC TOP PLATE BUFFET

- Glass ceramic top plate buffet with dimensions for four (4) GN1/1 pans.
- Made in stainless steel with glossy, polished finish. Easy to clean.
- Heating system by resistors located on the bottom of the glass ceramic plates.
- Digital temperature display.
- Power supply: 230 V -1+N.
- Wall-mounted (one side customer access) and island-type (two side customer access) as available options.
- Protective foodshield with integrated halogen lamps. One-side access buffets are delivered with EB-A-LC1 foodshield model and two-side access buffets are delivered with EB-A-LC2 foodshield model.
- Side shelf support assembled to the side of buffet as an option. To be ordered separately.



Protective foodshield included
Integrated halogen lamp that illuminates and generates heat over the entire presentation area.



Example of foodshield unit for two side access buffet. Halogen light and heat protected displays.

Model	Reference	Buffet Type			Power (W)	Dimensions (mm)
		Finished	Access	Element		
EB-PV-1-I	24002000FL	INOX	1 Side access	Glass ceramic top plate	1800 + 900	1920 x 1110 x 920
EB-PV-1-P	24002001FL	PHNP	1 Side access	Glass ceramic top plate	1800 + 900	1920 x 1110 x 920
EB-PV-2-I	24002010FL	INOX	2 Sides access	Glass ceramic top plate	1800 + 900	1920 x 1330 x 920
EB-PV-2-P	24002011FL	PHNP	2 Sides access	Glass ceramic top plate	1800 + 900	1920 x 1330 x 920



NEUTRAL BUFFETS

- Two (2) heights for service worktops available: 600 mm and 850 mm.
- Wall-mounted (one side customer access) and island-type (two side customer access) as available options.
- Protective foodshields with integrated halogen lamps can be

assembled on any type of neutral buffets.

- Note: Protective foodshields are not included in neutral buffets. To be ordered separately.
- Side shelf support assembled to the side of buffet as an option. To be ordered separately.



EB-NA-1



EB-NB-2



EB-NB-1-I
Neutral buffet with drop-in cooking equipment




EB-NB-2-I
Neutral buffet with distribution elements

850MM HEIGHT NEUTRAL BUFFETS

Model	Reference	Buffet Type			Dimensions (mm)
		Finished	Access	Element	
EB-NA-1-I	24000000FL	INOX	1 Side access	Neutral buffet height 850 mm	1920 x 1110 x 920
EB-NA-1-P	24000001FL	PHNP	1 Side access	Neutral buffet height 850 mm	1920 x 1110 x 920
EB-NA-2-I	24000010FL	INOX	2 Sides access	Neutral buffet height 850 mm	1920 x 1330 x 920
EB-NA-2-P	24000011FL	PHNP	2 Sides access	Neutral buffet height 850 mm	1920 x 1330 x 920

600MM HEIGHT NEUTRAL BUFFETS

Model	Reference	Buffet Type			Dimensions (mm)
		Finished	Access	Element	
EB-NB-1-I	24000100FL	INOX	1 Side access	Neutral buffet height 600 mm	1920 x 1110 x 920
EB-NB-1-P	24000101FL	PHNP	1 Side access	Neutral buffet height 600 mm	1920 x 1110 x 920
EB-NB-2-I	24000110FL	INOX	2 Sides access	Neutral buffet height 600 mm	1920 x 1330 x 920
EB-NB-2-P	24000111FL	PHNP	2 Sides access	Neutral buffet height 600 mm	1920 x 1330 x 920



EB-MC-I
Cash register
Front in pistachio color and sides in black

CASH REGISTER COUNTERS

- Drawer with lock and key is included.
- "Impulse shopping shelf" as optional accessory. Retail display shelves to be placed on the side of the cash register.



EB-A-VI
"Impulse shopping shelf"

Model	Reference	Buffet Type			Dimensions (mm)
		Finished	Access	Element	
EB-MC-I	24006000FL	INOX	1 Side access	Cash register counter height 850 mm	1920 x 1110 x 920
EB-MC-P	24006001FL	PHNP	1 Side access	Cash register counter height 850 mm	1920 x 1110 x 920



EB-A-DV
Glass and tray dispenser

DISPENSERS GLASSES AND TRAY

- Made of stainless steel with a fine satin finish. Four (4) 40 x 40 square stainless steel legs.



EB-NB-2-I + EB-A-DV + A-EB-A-CP
600 mm height buffet with dispensers.
Front in soft aluminium, side in dark brown color.



EB-A-CP
Cutlery and condiment dispenser

CUTLERY AND CONDIMENT

- Made of stainless steel with a fine satin finish. Four (4) 40 x 40 square stainless steel legs.
- Three (3) 150 mm depth GN pans made of polycarbonate included: one (1) GN 1/1 container, two (2) GN 1/2 containers and three (3) GN 1/3 containers.

Model	Reference	Description	Dimensions (mm)
EB-A-DV	2401100000	Glass and tray dispenser	790 x 600 x 760
EB-A-CP	2401200000	Cutlery and condiment dispenser	790 x 600 x 760



EB-A-RP

SIDE SHELF SUPPORT FOR PLATES

- Ideal for placing plates at one of the sides of a buffet element.
- Capacity of 3 columns with plates of 260 mm diameter.
- Easy to install.
- Manufactured in stainless steel, 3 mm thick glossy polished finish.



EB-A-RP
Side shelf support for plates

Model	Reference	Description	Dimensions (mm)
EB-A-RP	2401300000	Side shelf support for plates	800 x 260 x 340



FOODSHIELDS

- Foodshields are installed on the top of the buffets to protect, illuminate and maintain the products displayed at the right temperature.
- Brackets made of stainless steel with a fine satin finish.
- 6 mm thick tempered glasses.
- Easy to assemble.
- Foodshields included fluorescent lamp (light) in refrigerated buffets or halogen lamp (light and heat) in hot buffets.



EB-A-LF2



EB-A-LC1



FOODSHIELDS WITH LIGHT

Model	Reference	Description	Power (W)	Dimensions (mm)
EB-A-LF1	2401400000	Upright with lighting screen one side access	36	1790 x 485 x 475
EB-A-LF2	2401500000	Upright with lighting screen two sides access	36	1790 x 600 x 475

FOODSHIELDS WITH LIGHT AND HEAT

Model	Reference	Description	Power (W)	Dimensions (mm)
EB-A-LC1	2401600000	Upright with light and heat screen one side access	900	1790 x 485 x 475
EB-A-LC2	2401700000	Upright with light and heat screen two side access	900	1790 x 600 x 475



EB-A-SS



EB-A-SPD

DIVIDERS AND SIDE GUARDS

Dividers and side guards separate customers from show cooking. Divider dimensions are 1.900x395 mm.

Model	Reference	Description
EB-A-SS	2401000000	Divider for show cooking
EB-A-SPD	2401000001	Right side protection for show-cooking



EB-A-VI

"IMPULSE SHOPPING SHELF"

- Specially designed to be assemble at one side of the the cash register counter.
- Made of stainless steel.
- Easy to install.

Model	Reference	Description
EB-A-SPI	2401000002	Left side protection for show-cooking
EB-A-VI	2401800000	Impulsive shopping shelf



EB-A-BC

BASE FOR ELECTRICAL CONNECTIONS

- Two (2) sockets for plugs of various devices, e.g. toasters, heaters, squeezers, coffee machines or heating devices during cooking shows.
- Made of stainless steel, with plastic plugs to protect holes.
- Easy to install.

Model	Reference	Description
EB-A-BC	2401900000	Base for electric connections